

Incorporating Substance Abuse Screening Into Adolescent Office Visits | CRAFFT

TeenScreen® Primary Care

TeenScreen® National Center for Mental Health Checkups at Columbia University

To order more questionnaires, email Mentalhealthcheckups@childpsych.columbia.edu, call (212) 265-4426 or visit www.teenscreen.org

Administering and Scoring the CRAFFT Questionnaire

- The version of the CRAFFT provided by TeenScreen is self-administered and is designed to screen adolescents for substance and alcohol use.
- The CRAFFT can be used with patients between the ages of 11 and 21 and takes less than five minutes to complete and score.
- The CRAFFT can be used in conjunction with other behavioral health screening questionnaires.
- The CRAFFT can be administered and scored by a nurse, medical technician, physician assistant, physician or other office staff.
- Patients should be left alone to complete the CRAFFT in a private area, such as an exam room or a private area of the waiting room.
- Patients should be informed of their confidentiality rights before the CRAFFT is administered.
- It is recommended that parents are informed that a behavioral health screening will be administered as part of the exam.
- The CRAFFT is recommended by the American Academy of Pediatrics' Committee on Substance Abuse for use with adolescents.

CRAFFT
Please answer all questions honestly, your answers will be kept confidential.

Name _____ Date _____
Medical Record or ID Number _____

Part A
During the PAST 12 MONTHS, did you:

1. Drink any alcohol (more than a few sips)?	No <input type="checkbox"/>	Yes <input type="checkbox"/>
2. Smoke any marijuana or hashish?	No <input type="checkbox"/>	Yes <input type="checkbox"/>
3. Use anything else to get high? <small>*anything else* includes illegal drugs, over the counter and prescription drugs, and things that you sniff or "huff"</small>	No <input type="checkbox"/>	Yes <input type="checkbox"/>

Part B

1. Have you ever ridden in a CAR driven by someone (including yourself) who was "high" or had been using alcohol or drugs?	No <input type="checkbox"/>	Yes <input type="checkbox"/>
2. Do you ever use alcohol or drugs to RELAX, feel better about yourself, or fit in?	<input type="checkbox"/>	<input type="checkbox"/>
3. Do you ever use alcohol or drugs while you are by yourself, or ALONE?	<input type="checkbox"/>	<input type="checkbox"/>
4. Do you ever FORGET things you did while using alcohol or drugs?	<input type="checkbox"/>	<input type="checkbox"/>
5. Do your FAMILY or FRIENDS ever tell you that you should cut down on your drinking or drug use?	<input type="checkbox"/>	<input type="checkbox"/>
6. Have you ever gotten into TROUBLE while you were using alcohol or drugs?	<input type="checkbox"/>	<input type="checkbox"/>

CONFIDENTIALITY NOTICE: The information on this page may be protected by special federal confidentiality rules (42 CFR Part 2), which prohibit disclosure of this information unless authorized by a valid authorization. A formal application for release of medical information is required. Call 800-458-5231 for more information. ©2008. Reprinted with permission from the Center for Adolescent Substance Abuse Research, CUSAR, Children's Hospital Boston. CRAFFT is a trademark provided with support from the Massachusetts Behavioral Health Partnership.

Scoring

Each "Yes" response to the CRAFFT questions **Scored as 1 point**

Score = 0

Adolescents who report no use of alcohol or drugs and have a CRAFFT score of 0 should receive praise and encouragement.

Score = 0 or 1

Those who report any use of alcohol or drugs and have a CRAFFT score of 1 should be encouraged to stop and receive brief advice regarding the adverse health effects of substance use.

Score = ≥ 2

A score of 2 or greater is a "positive" screen and indicates that the adolescent is at high-risk for having an alcohol or drug-related disorder and requires further assessment.

Interpreting the Screening Results

If the adolescent answers “No” to all 3 opening questions, they only need to answer the first question— the CAR question. If the adolescent answers “Yes” to any 1 or more of the 3 opening questions, they have to answer all 6 CRAFFT questions.

<p>NO to all 3 opening questions and NO to CAR question.</p> <p>Give praise, encouragement, and advise to avoid riding with an intoxicated driver. At next regular visit, ask how this is going. (1-2 minutes)</p>	<p>NO to all 3 opening questions and YES to CAR question.</p> <p>Ask patient to agree to avoid riding with a driver who has used drugs or alcohol. (1-2 minutes)</p>	<p>YES to any opening question.</p> <p>Look at the patient’s overall CRAFFT score. (each “Yes” = 1)</p>	<p>CRAFFT Score = 0 or 1</p> <p>If Yes to CAR question: Ask patient to agree to “avoid riding with a driver who has used drugs or alcohol. (1-2 minutes)</p> <p>If Yes to any other question except the CAR question: Counsel patient to stop using substances.</p> <p>Provide brief advice linking substance use to undesirable health, academic, and social consequences.</p> <p>Follow up at next visit. (2-5 minutes)</p>	<p>CRAFFT Score = ≥ 2</p> <p>Conduct brief assessment of substance use to understand whether disorder exists. (<15 minutes)</p> <p>Assessment questions</p> <ol style="list-style-type: none"> 1. Tell me about your alcohol/substance use. 2. Has it caused you any problems? 3. Have you tried to quit? Why? <p>See box at left.</p>
<p>Are there no major problems AND patient believes he/she will be successful in making a change?</p> <p>NO to Both: Consider making a referral to an allied health professional or treatment program. Ask youth to agree to avoid riding with a driver who has used substances. Make a follow-up appointment.</p> <p>YES to Both: Express concern, caring and empathy. Ask patient to stop using and avoid riding with a driver who has used substances, and agree to sign an <i>Abstinence Challenge</i>. Make a follow-up appointment. At follow-up visit, confirm whether patient stopped using.</p>				

Information adapted from the CRAFFT Toolkit — Massachusetts Department of Public Health Bureau of Substance Abuse Services. Provider Guide: *Adolescent Screening, Brief Intervention, and Referral to Treatment Using the CRAFFT Screening Tool*. Boston, MA.

Making a Referral and Notifying Parents

- Inform parents of the screening results (positive or negative), and recommendations for referral, treatment or follow-up.
- Provide parents with information about the next steps and offer support and assistance with finding or making an appointment with a behavioral health specialist.
- Compile a list of appropriate referral resources in the community and share that list with families of patients that receive a referral.
- Work with the patient’s existing insurance benefit to determine the referral resources that are available to them.
- Obtain written permission from parents to allow the transfer of information between the PCP and the behavioral health specialist who accepts the referral.

Finding Treatment

Individuals seeking free treatment and those making referrals for some clients may use SAMHSA’s Substance Abuse Treatment Facility Locator at <http://findtreatment.samhsa.gov>.

To locate facilities offering free or reduced cost services, select from the “Payment Assistance” options when designing your search.

Coding and Reimbursement

The following is a comprehensive list of relevant codes that may be used to bill for mental health checkups. These codes are not guaranteed to work with all payers. It is recommended that you identify codes most relevant to your practice and the services you are providing and include those on your encounter form/billing sheet.

Mental/ Behavioral Health Screening

96110 – Standardized, developmental and mental health testing/screening; limited with interpretation and report.

Substance Use Screening

99408 – Alcohol or substance (other than tobacco) abuse – structured screening and brief intervention (SBI) services; 15 to 30 minutes.

99409 – Alcohol or substance (other than tobacco) abuse structured screening brief intervention services; greater than 30 minutes.

Evaluation and Management Codes (E/M)

PCPs may report an office or outpatient E/M code using time as the key factor when a limited screening test is administered along with an E/M service.

Modifier 25

Modifier 25 tells insurers that the particular visit is different; it should be added to the office/outpatient visit to indicate that a significant, separately identifiable E/M service was performed in addition to the preventive medicine visit. Note that many insurers do not reimburse for modifier 25.

Corresponding ICD-9 (Diagnosis) Codes

- V65.42** – Counseling on substance use and abuse
- V20.2** – Well-child, preventative health visits
- V79.8** – Special screening exam for mental disorders and developmental handicaps
- V40.0** – Mental and behavioral health problems

Other Relevant Codes

S0302 – Completed Early and Periodic Screening, Diagnosis, and Treatment service (List in addition to code for appropriate E/M service.)

Established Patients	New Patients
99211 (5 minutes)	99201 (10 minutes)
99212 (10 minutes)	99202 (20 minutes)
99213 (15 minutes)	99203 (30 minutes)
99214 (25 minutes)	99204 (45 minutes)
99215 (40 minutes)	99205 (60 minutes)



CRAFFT

Please answer all questions *honestly*;
your answers will be kept *confidential*.

Name _____

Medical Record or ID Number _____ Date _____

Part A

During the PAST 12 MONTHS, did you:

No

Yes

1. Drink any alcohol (more than a few sips)?

2. Smoke any marijuana or hashish?

3. Use anything else to get high?

“anything else” includes illegal drugs, over the counter and prescription drugs, and things that you sniff or “huff”

If you answered NO to ALL (A1, A2, A3) answer **only B1** below, then STOP.

If you answered YES to ANY (A1 to A3), answer **B1 to B6** below.

Part B

No

Yes

1. Have you ever ridden in a CAR driven by someone (including yourself) who was “high” or had been using alcohol or drugs?

2. Do you ever use alcohol or drugs to RELAX, feel better about yourself, or fit in?

3. Do you ever use alcohol or drugs while you are by yourself, or ALONE?

4. Do you ever FORGET things you did while using alcohol or drugs?

5. Do your FAMILY or FRIENDS ever tell you that you should cut down on your drinking or drug use?

6. Have you ever gotten into TROUBLE while you were using alcohol or drugs?

CONFIDENTIALITY NOTICE: The information on this page may be protected by special federal confidentiality rules (42 CFR Part 2), which prohibit disclosure of this information unless authorized by specific written consent. A general authorization for release of medical information is NOT sufficient. © Children’s Hospital Boston, 2009.